



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/698,167

10/30/2003

Mohammad R. Mirabedini

02-6352/LSI1P220

9841

24319

7590

01/06/2005

LSI LOGIC CORPORATION

1621 BARBER LANE

MS: D-106

MILPITAS, CA 95035

EXAMINER

PRENTY, MARK V

ART UNIT

PAPER NUMBER

2822

DATE MAILED: 01/06/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/698,167

Applicant(s)

MIRABEDINI ET AL.

Examiner

MARK V PRENTY

Art Unit

2822

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 October 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-6 and 8-26 is/are allowed.
- 6) ☒ Claim(s) 7 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 30 October 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

Art Unit: 2822

This Office Action is in response to the papers filed on October 30, 2003.

Claim 7 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Specifically, independent claim 1 recites, "a calcium and boron doped polysilicon gate electrode on the gate dielectric," but claim 7, which depends on claim 1, inconsistently recites "wherein the calcium is present in a thin atomic layer at the gate electrode/gate dielectric interface" (i.e., independent claim 1 recites that the polysilicon gate is doped with calcium, but dependent claim 7 inconsistently recites that claim 1's calcium is a thin atomic layer separate from the polysilicon gate – note the specification at paragraph [0033]).

Claims 1-6 and 8-26 are allowable over the prior art of record.

The prior art of record does not disclose or suggest to one skilled in the art the allowable semiconductor device and method of making a semiconductor device taken as a whole, including the calcium and boron doped polysilicon gate electrode.

United States Patent 4,755,865 (Wilson et al.), United States Patent 5,937,303 (Gardner et al.), United States Patent 6,373,113 (Gardner et al.), United States Patent Application Publication 2003/0168705 (Tanida et al.), United States Patent Application Publication 2004/0089887 (Aronowitz et al.), United States Patent Application Publication 2004/0110328 (Aronowitz et al.) and United States Patent Application Publication 2004/0121550 (Zubkov et al.) are relevant to this application.

Art Unit: 2822

Registered practitioners can telephone the examiner at (571) 272-1843. Any voicemail message left for the examiner must include the name and registration number of the registered practitioner calling, and the Application/Control (Serial) Number. Technology Center 2800's general telephone number is (571) 272-2800.


Mark V. Prenty
Primary Examiner